



Magnat





Omega 25A



Omega 20A

Magnet



Ausstattung

- Lautstärke und Übergangsfrequenz regelbar
- Phase schaltbar 0°/180°
- High-Level-Eingang
- Low-Level-Eingang
- Automatische Standby-Schaltung
- Netzschalter
- Netzspannung wählbar 115/230 V



Besonderheiten

- Stabiler und resonanzarmer Gehäuseaufbau aus E1-MDF-Holzplatten und dekorativer Hochglanzfront
- ‚Down-Fire‘ Prinzip mit 30 mm hoher Bodenplatte
- Airflex-Port mit gerundeter Reflexöffnung zur Reduzierung von Strömungsgeräuschen
- High-Power-Langhubwoofer mit Klippel®-optimiertem Magnetsystem
- Real-time Limiter
- Aktive Frequenzgangentzerrung bis 200 Hz (LPC-Schaltung) zur problemlosen Integration in AV-Umgebungen
- Geringer Standby-Stromverbrauch < 1 Watt
- Resonanzdämpfende Gummifüße im Lieferumfang enthalten



CE, RoHS und REACH konform

Magnat



Features

- Level and crossover-frequency adjustable
- Phase switchable 0°/180°
- High-level input
- Low-level input
- Automatic standby circuit
- Power switch
- Switchable mains voltage 115/230 V



Highlights

- Solid low-resonance cabinet construction using E1-MDF panels and decorative high-gloss front
- Down-fire construction with 30 mm baseplate
- Airflex port with rounded reflex opening to avoid wind noise
- High-power longthrow subwoofer with Klippel®-optimized magnet system
- Real-time limiter
- Active frequency range equalization up to 200 Hz (LPC feature)
- Low standby power consumption <1 watt
- Rubber pucks included



CE, RoHS and REACH compliant

Magnat

Technische Daten/Features

Prinzip Principle	Aktiver Bassreflex Subwoofer, 'downfire' Powered bassreflex subwoofer, downfire
------------------------------------	--

Bestückung Equipment	1 x 260 mm Woofer 1 x 10" powered subwoofer
---------------------------------------	--

Ausgangsleistung (RMS/Max.) Power output (RMS/Max)	140 / 280 Watt(s)
---	--------------------------

Frequenzbereich Frequency Response	22 – 200 Hz
---	--------------------

Übergangsfrequenz Crossover Frequencies	50 - 200 Hz regelbar/adjustable
--	--

Ausführung Cabinet surface	Schwarz, Front: Hochglanz Schwarz Black, front: high-gloss black
---	---

Maße (BxHxT) Dimensions (WxHxD)	290 x 495 x 430 mm
--	---------------------------

Gewicht Weight	19 kg
---------------------------------	--------------

Schwarz/black	ART. NR.: 142 445 EAN: 40 18843 42445 3
----------------------	--

Technische Daten/Features

Prinzip Principle	Aktiver Bassreflex Subwoofer, 'downfire' Powered bassreflex subwoofer, downfire
Bestückung Equipment	1 x 210 mm Woofer 1 x 8" powered subwoofer
Ausgangsleistung (RMS/Max.) Power output (RMS/Max)	100 / 200 Watt(s)
Frequenzbereich Frequency Response	24 – 200 Hz
Übergangsfrequenz Crossover Frequencies	50 - 200 Hz regelbar/adjustable
Ausführung Cabinet surface	Schwarz, Front: Hochglanz Schwarz Black, front: high-gloss black
Maße (BxHxT) Dimensions (WxHxD)	240 x 445 x 410 mm
Gewicht Weight	13,5 kg
Schwarz/black	ART. NR.: 142 440 EAN: 40 18843 42440 8